

# Fungal Genetics Reports

---

Volume 1

Article 25

---

## [Linkage data for two markers rg and ylo]

S. F.H. Threlkeld

Follow this and additional works at: <https://newprairiepress.org/fgr>



This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 License](https://creativecommons.org/licenses/by-sa/4.0/).

---

### Recommended Citation

Threlkeld, S. F. (1962) "[Linkage data for two markers rg and ylo]," *Fungal Genetics Reports*: Vol. 1, Article 25. <https://doi.org/10.4148/1941-4765.1039>

This Linkage Data is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Fungal Genetics Reports by an authorized administrator of New Prairie Press. For more information, please contact [cads@k-state.edu](mailto:cads@k-state.edu).

---

## [Linkage data for two markers rg and ylo]

### Abstract

[Linkage data for two markers rg and ylo]

Threlkeld, S. F. H.

The following table contains linkage data for the two markers rq (B53) and ylo (Y30539y) in N. sitophila (transferred from N. crassa), and also for the mating type locus and the marker cr. Data for the last two are already available in the literature (Fincham, J. R. S., J. Genet. 50, 1951).

Marker	No. of asci analyzed	No. with second division for the marker concerned	Uncorrected crossover distance from centromere
<u>rq</u>	68	0	0
<u>ylo</u>	49	9	9.2
mating type	68	41	30.0
<u>cr</u>	68	44	32.4